


SAFETY PACKAGE



SPECIALIST FIXTURE SOLUTIONS

SP-Grounding package

Order number	Designation
120484	SP-Grounding package

Grounding package for fixtures with higher voltages:

- Grounding of housing (incl. handles, hinges, etc)
- Earth connection
- Back panel in aluminum
- Housing screw locked
- Earth connection verification
- Installation instructions

SP-Isolation package

Order number	Designation
120496	SP-Isolation package

Isolation package universal:

- Cover all low resistance contacts to the environment
- Cover all relevant openings
- Isolating Push rods

SP-MMIW-Isolation package-MMIWG

Order number	Designation
120486	SP-MMIW-Isolation package-MMIWG

Isolation package for MMIWG base units:

- Cover all low resistance contacts to the environment
- Cover all relevant openings

SP-SW-Safety switch-BNS260

Order number	Designation
120494	SP-SW-safety switch-BNS260

Safety switch BNS 260 (Magnet switch)

Incl. magnet and mounting

SP-Grounding Connection Cable

Order number	Designation
507072	SP-Grounding connection cable

Grounding connection cable for connecting the fixture to the grounding connection.

SP-MMIW-Isolation package-MMIWK

Order number	Designation
120485	SP-MMIW-Isolation package-MMIWK

Isolation package for MMIWK cassettes:

- Isolating Push rods
- Cover for alignment pins
- Magnet for safety switch BPS260

SP-MMI-Isolation package-MMI

Order number	Designation
120487	SP-MMI-Isolation package-MMI

Isolation package for MMI fixture kits:

- Isolating Push rods
- Cover all low resistance contacts to the environment
- Cover all relevant openings

SP-MMIW-Locking-MMIWG

Order number	Designation
120488	SP-MMIW-Locking-MMIWG

Safety locking for MMIWG base unit:

- Mounting AZM on the housing floor
- Mounting safety key on lever arm
- Safety locking AZM16iCC-12/12RKEU-024
- 3 x Safety switch BNS260 for push plate and cassettedetection

SP-MMI-Locking-MMI

Order number	Designation
120489	SP-MMI-Locking-MMI

Safety locking for MMI:

- Mounting AZM on frame plate
- Mounting safety key on lever arm
- Safety locking AZM161CC-12/12RKEU-024
- 1 x Safety switch BNS 260-02
- Housing screw locked

SP-Box-Safety box-S1

Order number	Designation
120490	SP-Box-Safety box-S1

Safety box S1 24V

Voltage disable with contactor 3 contacts
(á 400VAC, 9 Amp.)

- Detection of max. 3 safety switches
- Safety relay PSR-MS30

SP-Box-Safety box-S2

Order number	Designation
120497	SP-Box-Safety box-S2

Safety box S2 24V safety locking

Control for safety locking +Voltage disable with
contactor 3 contacts (á 400VAC, 9 Amp.)

- Control for safety locking
- Detection of 3 safety switches
- Safety relay UE44-3SL with delay timer

SP-Box-Control box-K1

Order number	Designation
120492	SP-Box-Control box-K1

Control box K1 pneumatic

Control for pneumatic fixtures 24V

- Control for pneumatic locking
- Detection of 3 safety switches
- Safety relay UE44-3SL
- Timer relay E1ZM10

SP-SW-Locking

Order number	Designation
120495	SP-SW-Locking

Safety locking universal type:

- Mounting safety key on lever arm
- Mounting safety lock (type not defined)

SP-Box-Safety box-S1-T

Order number	Designation
120491	SP-Box-Safety box-S1-T

Safety box S1-T 230V

Voltage disable with contactor 3 contacts
(á 400VAC, 9 Amp.)

- Detection of max. 3 safety switches
- Safety relay PSR-MS30
- Powersupply 24V 1,0A
- Cold device socket in back panel

SP-Box-Safety box-S2-T

Order number	Designation
120498	SP-Box-Safety box-S2-T

Safety box S2-T 230V safety locking

Control for safety locking +Voltage disable with
contactor 3 contacts (á 400VAC, 9 Amp.)

- Control for safety locking
- Detection of 3 safety switches
- Safety relay UE44-3SL with delay timer
- Powersupply 24V 1,0A
- Cold device socket in back panel

SP-Box-Control box-K1-T

Order number	Designation
120493	SP-Box-Control box-K1-T

Control box K1-T pneumatic 230V

Control for pneumatic fixtures

- Control for pneumatic locking
- Detection of 3 safety switches
- Safety relay UE44-3SL
- Timer relay E1ZM10
- Powersupply 24V 1,0A
- Cold device socket in back panel

Contact us

Would you like to learn more about us or talk to one of our experts about your new project? Please feel free to inform yourself about our website or give us a call:

www.atx-hardware.de ► Contact

We are committed to finding the optimum technical solution for you. Test us!

ATX Hardware GmbH West Subsidiary of ATX Hardware GmbH

Pürgen branch

Am Kornfeld 8
86932 Pürgen, Deutschland/Germany

Phone: +49 81 96 / 93 04 - 0
Telefax: +49 81 96 / 93 04 - 19

Email: projekte@atx-hardware.de
Web: www.atx-hardware.de

Weil branch

Carl-Zeiss-Straße 5/1
71093 Weil im Schönbuch, Deutschland/Germany

Phone: +49 81 96 / 9304 - 345 oder 349
Telefax: +49 81 96 / 93 04 - 359

Email: projekte@atx-hardware.de
Web: www.atx-hardware.de